

Health Surveillance Summary Reports

Species: mouse

Building	Room	Test Name	Service	# Positives 2026	# Tested 2026	# Positives Total	# Tested Total
Bacteria, Mycoplasma and Fungi							
M9	17	Bordetella bronchiseptica	PCR	0	8	0	8
M9	17	Filobacterium rodentium	PCR	0	8	0	8
M9	17	Helicobacter bilis	PCR	0	8	0	8
M9	17	Helicobacter ganmani	PCR	0	8	0	8
M9	17	Helicobacter hepaticus	PCR	0	8	0	8
M9	17	Helicobacter mastomyrinus	PCR	0	8	0	8
M9	17	Helicobacter rodentium	PCR	0	8	0	8
M9	17	Helicobacter spp.	PCR	0	8	0	8
M9	17	Helicobacter typhlonius	PCR	0	8	0	8
M9	17	Klebsiella oxytoca	PCR	1	8	1	8
M9	17	Klebsiella pneumoniae	PCR	6	8	6	8
M9	17	Proteus mirabilis	PCR	2	8	2	8
M9	17	Pseudomonas aeruginosa	PCR	0	8	0	8
M9	17	Rodentibacter heylII	PCR	4	8	4	8
M9	17	Rodentibacter pneumotropicus	PCR	3	8	3	8
M9	17	Staphylococcus aureus	PCR	1	8	1	8
M9	17	Streptococcus pneumoniae	PCR	0	8	0	8
M9	17	Streptococcus sp. beta hemolytic Group A	PCR	0	8	0	8
M9	17	Streptococcus sp. beta hemolytic Group B	PCR	0	8	0	8
M9	17	Streptococcus sp. beta hemolytic Group C	PCR	0	8	0	8
M9	17	Streptococcus sp. beta hemolytic Group G	PCR	0	8	0	8
Parasites and Protozoa							
M9	17	Aspicularis tetraptera	PCR	0	8	0	8
M9	17	Chilomastix spp.	PCR	0	8	0	8
M9	17	Cryptosporidium spp.	PCR	0	8	0	8
M9	17	Eimeria spp.	PCR	0	8	0	8
M9	17	Entamoeba muris	PCR	0	8	0	8
M9	17	Giardia muris	PCR	0	8	0	8
M9	17	Hexamastix muris	PCR	0	8	0	8
M9	17	Myocoptes	PCR	0	8	0	8
M9	17	Radfordia/Myobia	PCR	0	8	0	8
M9	17	Spirotrichomonas muris	PCR	0	8	0	8
M9	17	Syphacia muris	PCR	0	8	0	8
M9	17	Syphacia obvelata	PCR	0	8	0	8
M9	17	Tritrichomonas muris	PCR	0	8	0	8
Viruses							
M9	17	EDIM	PCR	0	8	0	8
M9	17	MHV	PCR	0	8	0	8
M9	17	MNV	PCR	0	8	0	8
M9	17	MPV	PCR	0	8	0	8
M9	17	MVM	PCR	0	8	0	8
M9	17	TMEV	PCR	0	8	0	8