

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.2 Revision Date 17.09.2019 Print Date 18.06.2021

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Propylene glycol monomethyl ether acetate

Product Number : 484431

Brand : Sigma-Aldrich Index-No. : 607-195-00-7

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 108-65-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Israel Ltd. Tel Aviv

3 PARK RABIN, PLAUT 76100 REHOVOT

**ISRAEL** 

Telephone : +972 972 8948-4222 Fax : +972 972 8948-4200

1.4 Emergency telephone number

Emergency Phone # : +972 (8) 948-4222

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Warning

Sigma-Aldrich- 484431 Page 1 of 9



Hazard statement(s)

H226 Flammable liquid and vapour.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

Supplemental Hazard

Statements

none

#### **2.3 Other hazards** - none

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : 1-Methoxy-2-propyl acetate

MPA

DOWANOL® PMA

1,2-Propanediol monomethyl ether acetate Propylene glycol methyl ether acetate

**PGMEA** 

Formula :  $C_6H_{12}O_3$ Molecular weight : 132,16 g/mol CAS-No. : 108-65-6 EC-No. : 203-603-9 Index-No. : 607-195-00-7

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Sigma-Aldrich- 484431 Page 2 of 9



### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Dry powder Dry sand

### Unsuitable extinguishing media

Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Avoid exposure - obtain special instructions before use. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.



#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Components with workplace control parameters

### 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: > 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 79 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

A

with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

### **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Colour: colourless

b) Odourc) Odour Thresholddata availableno data available

d) pH No data available

e) Melting point/range: < -66 °C at 1.013 hPa

point/freezing point

f) Initial boiling point 145 - 146 °C - lit. and boiling range

g) Flash point 45,5 °C - closed cup
h) Evaporation rate No data available
i) Flammability (solid, No data available

gas)

j) Upper/lower Upper explosion limit: 13,1 %(V) flammability or explosive limits Upper explosion limit: 1,3 %(V)

k) Vapour pressure 3,59 hPa at 20 °C - OECD Test Guideline 104

I) Vapour density No data available

m) Relative density 0,97 g/cm3 at 25 °C - lit.

n) Water solubility 198 g/l at 20 °C

o) Partition coefficient: log Pow: 1,2 at 20 °C - OECD Test Guideline 117

n-octanol/water

p) Auto-ignition 333 °C

The second second

Sigma-Aldrich- 484431 Page 5 of 9

at 1.013 hPa temperature q) Decomposition No data available temperature

1,13 mm2/s at 25 °C r) Viscosity

No data available s) Explosive properties t) Oxidizing properties No data available

#### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - female - 8.532 mg/kg LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Sigma-Aldrich- 484431

Result: No eye irritation

# Respiratory or skin sensitisation

Maximisation Test - Guinea pig

Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 406)

#### Germ cell mutagenicity

reverse mutation assay

Page 6 of 9

S. typhimurium Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

### **Reproductive toxicity**

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral

RTECS: AI8925000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish mortality LC50 - Salmo gairdneri - 100 - 180 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

static test EC50 - Daphnia magna (Water flea) - > 500 mg/l - 48 h

and other aquatic invertebrates

### 12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 28 d

Result: 83 % - Readily biodegradable.

(OECD Test Guideline 301F)

Biochemical Oxygen

0,36 mg/l

Demand (BOD)

Chemical Oxygen

1,74 mg/g

Demand (COD)

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Sigma-Aldrich- 484431 Page 7 of 9



#### 12.6 Other adverse effects

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 3271 IMDG: 3271 IATA: 3271

### 14.2 UN proper shipping name

ADR/RID: ETHERS, N.O.S. (Propylene glycol monomethyl ether acetate) IMDG: ETHERS, N.O.S. (Propylene glycol monomethyl ether acetate) IATA: Ethers, n.o.s. (Propylene glycol monomethyl ether acetate)

### 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

No data available

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

Sigma-Aldrich- 484431 Page 8 of 9

#### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 484431 Page 9 of 9

